



# CALIFORNIA ENVIRONMENTAL PROTECTION AGENCY



1001 I STREET, SACRAMENTO, CALIFORNIA 95814 • P.O. BOX 2815, SACRAMENTO, CALIFORNIA 95812-2815  
(916) 323-2514 • (916) 324-0908 FAX • [WWW.CALEPA.CA.GOV](http://WWW.CALEPA.CA.GOV)

*LINDA S. ADAMS*  
SECRETARY FOR  
ENVIRONMENTAL PROTECTION

*ARNOLD  
SCHWARZENEGGER*  
GOVERNOR

Certified Mail: 7003 1680 0000 6174 9286

December 3, 2007

Mr. Mark McCormick  
Fire Marshal  
City of Santa Rosa Fire Department  
955 Sonoma Avenue  
Santa Rosa, California 95404-4803

Dear Mr. McCormick:

The California Environmental Protection Agency (Cal/EPA), Office of Emergency Services, Department of Toxic Substances Control, and the State Water Resources Control Board conducted a program evaluation of the City of Santa Rosa Fire Department Certified Unified Program Agency (CUPA) on April 17 and 18, 2007. The evaluation consisted of a review of program elements, an in-office program review and field oversight inspections. The State evaluators completed a Certified Unified Program Agency Evaluation Summary of Findings with your agency's program management staff, which includes identified deficiencies, with preliminary corrective actions and timeframes, program observations and recommendations, and examples of outstanding program implementation.

Cal/EPA has received documentation of corrective actions taken by Santa Rosa City Fire Department for the deficiencies found during the evaluation process. After reviewing the Evaluation Summary of Findings and the documentation of corrective actions, Cal/EPA finds that all deficiencies noted in the Evaluation Summary of Findings have been corrected.

Cal/EPA appreciates the actions taken by Santa Rosa City Fire Department. Based on these corrections, Cal/EPA has modified Santa Rosa City Fire Department's rating on the evaluation from satisfactory with some improvement needed to meets program performance standards.

Mr. Mark McCormick  
December 3, 2007  
Page 2

Thank you for your continued commitment to the protection of public health and the environment. If you have any questions or need further assistance, you may contact Jim Bohon, Manager, Cal/EPA Unified Program at (916) 327-5097 or [jbohon@calepa.ca.gov](mailto:jbohon@calepa.ca.gov).

Sincerely,

[Original signed by Don Johnson]

Don Johnson  
Assistant Secretary  
California Environmental Protection Agency

cc/Sent via Email:

Ms. Corey Vincent  
Hazardous Materials Program Manager  
City of Santa Rosa Fire Department  
955 Sonoma Avenue  
Santa Rosa, California 95404-4803

Mr. Sean Farrow  
State Water Resources Control Board  
P.O. Box 944212  
Sacramento, California 94244-2102

Mr. Mark Pear  
Department of Toxic Substances Control  
700 Heinz Avenue, Suite 210  
Berkeley, California 94710-2721

Mr. Jack Harrah  
Governor's Office of Emergency Services  
P.O. Box 419047  
Rancho Cordova, California 95741-9047

Mr. Kevin Graves  
State Water Resources Control Board  
P.O. Box 944212  
Sacramento, California 94244-2102

Ms. Terry Brazell  
State Water Resources Control Board  
P.O. Box 944212  
Sacramento, California 94244-2102

Mr. Mark McCormick  
December 3, 2007  
Page 3

cc/Sent via Email:

Mr. Charles McLaughlin  
Department of Toxic Substances Control  
8800 Cal Center Drive  
Sacramento, California 95826-3200

Ms. Maria Soria  
Department of Toxic Substances Control  
700 Heinz Avenue, Suite 200  
Berkeley, California 94710-2721

Mr. Ben Ho  
Office of the State Fire Marshal  
P.O. Box 944246  
Sacramento, California 94244-2460

Mr. Brian Abeel  
Governor's Office of Emergency Services  
P.O. Box 419047  
Rancho Cordova, California 95741-9047